

# ROLL GROOVE FITTINGS



**Roll Grooved / Male BSP Adaptor - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 25              | No          |
| 32              |             |
| 40              |             |
| 50              |             |
| 50 x 40         |             |
| 65              |             |
| 65 x 50         |             |
| 80              |             |
| 80 x 25         |             |
| 100             |             |
| 100 x 50        |             |
| 150             |             |



**Roll Grooved Cap - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 25              | No          |
| 32              |             |
| 40              |             |
| 50              |             |
| 65              |             |
| 73od            |             |
| 80              |             |
| 100             |             |
| 150             |             |
| 200             |             |
| 250             |             |
| 300             |             |





**Roll Grooved Coupling Flexible - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 25              | Yes         |
| 32              |             |
| 40              |             |
| 50              |             |
| 65              |             |
| 80              |             |
| 100             |             |
| 150             |             |
| 200             |             |
| 250             |             |
| 300             |             |

**Roll Grooved Coupling Flexible - Painted**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 25              | Yes         |
| 32              |             |
| 40              |             |
| 50              |             |
| 65              |             |
| 80              |             |
| 100             |             |
| 150             |             |
| 168             |             |
| 200             |             |
| 250             |             |

**Roll Grooved Coupling High Pressure - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 32              | Yes         |
| 40              |             |
| 50              |             |
| 65              |             |
| 73od            |             |
| 80              |             |
| 100             |             |
| 139od           |             |
| 141od           |             |
| 150             |             |
| 168od           |             |



**Roll Grooved Outlet Coupling - Galvanised**

| Available Sizes    | Other Sizes |
|--------------------|-------------|
| 40 x 25            | Yes         |
| 50 x 25            |             |
| 100 x 25           |             |
| 100 x 50           |             |
| 150 x 50RG / 40BSP |             |



**Roll Grooved Copper Adapter**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 50              | Yes         |
| 65              |             |
| 73od            |             |
| 80              |             |
| 100             |             |
| 125             |             |
| 150             |             |
| 200             |             |



**Roll Grooved Ridgid Coupling - Galvanised**


| Available Sizes | Other Sizes |
|-----------------|-------------|
| 32              | Yes         |
| 40              |             |
| 50              |             |
| 65              |             |
| 80              |             |
| 100             |             |
| 125             |             |
| 150             |             |
| 200             |             |
| 250             |             |
| 300             |             |

Roll Grooved Ridgid Coupling - Painted

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 32              | Yes         |
| 40              |             |
| 50              |             |
| 65              |             |
| 80              |             |
| 100             |             |
| 150             |             |
| 200             |             |

Roll Grooved Coupling Reducing - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 50 x 40         | No          |
| 65 x 50         |             |
| 73 x 76         |             |
| 80 x 50         |             |
| 80 x 65         |             |
| 100 x 50        |             |
| 100 x 65        |             |
| 100 x 80        |             |
| 150 x 80        |             |
| 150 x 100       |             |
| 168 x 165od     |             |
| 200 x 150       |             |





**Roll Grooved Cross - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 50              | No          |
| 65              |             |
| 80              |             |
| 100             |             |
| 150             |             |
| 200             |             |

**Roll Grooved Cross Reducing - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 100 x 80        | Yes         |
| 150 x 80        |             |
| 150 x 100       |             |
| 200 x 100       |             |
| 200 x 150       |             |



**Roll Grooved Elbow Standard Radius - Galvanised**

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 25              | Yes         | 57                 |
| 32              |             | 70                 |
| 40              |             | 70                 |
| 50              |             | 83                 |
| 65              |             | 95                 |
| 73od            |             | 95                 |
| 80              |             | 108                |
| 100             |             | 127                |
| 150             |             | 165                |
| 168od           |             | 165                |
| 200             |             | 197                |
| 250             |             | 229                |
| 300             |             | 254                |

**Roll Grooved Elbow Standard Radius - Painted**

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 50              | Yes         | 83                 |
| 65              |             | 95                 |
| 80              |             | 108                |
| 100             |             | 127                |
| 150             |             | 165                |
| 200             |             | 197                |





**Roll Grooved Elbow Short Radius - Galvanised**

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 50              | No          | 70                 |
| 65              |             | 76                 |
| 80              |             | 86                 |
| 100             |             | 102                |
| 150             |             | 140                |
| 200             |             | 176                |

**Roll Grooved Elbow Short Radius - Painted**

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 50              | No          | 70                 |
| 65              |             | 76                 |
| 80              |             | 86                 |
| 100             |             | 102                |
| 150             |             | 140                |
| 200             |             | 176                |



### Roll Grooved Elbow 45° - Galvanised

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 32              | No          | 45                 |
| 40              |             | 45                 |
| 50              |             | 51                 |
| 65              |             | 57                 |
| 73od            |             | 57                 |
| 80              |             | 64                 |
| 100             |             | 76                 |
| 150             |             | 89                 |
| 168od           |             | 89                 |
| 200             |             | 108                |
| 250             |             | 121                |
| 300             |             | 133                |

### Roll Grooved Elbow 22.5° - Galvanised

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 80              | No          | 57                 |
| 100             |             | 73                 |
| 150             |             | 79                 |
| 200             |             | 98                 |

### Roll Grooved Elbow 11.25° - Galvanised

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 80              | No          | 38                 |
| 100             |             | 45                 |
| 150             |             | 51                 |
| 200             |             | 51                 |

**RG Elbow Reducing - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 80 x 65         | No          |
| 100 x 65        |             |
| 100 x 80        |             |
| 150 x 100       |             |



**Roll Grooved Flange - T/E Adaptor - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 50              | Yes         |
| 65              |             |
| 80              |             |
| 100             |             |
| 139             |             |
| 141             |             |
| 150             |             |
| 200             |             |
| 250             |             |
| 300             |             |



**Roll Grooved Flange Adaptor Reducing - Galvanised (Universal)**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 80 x 50         | Yes         |
| 100 x 80        |             |
| 150 x 100       |             |



**Stainless Steel Roll Grooved Flange Adaptor Universal**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 100             | Yes         |
| 168od           |             |



**Roll Grooved Hinged Flange Adaptor - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 80 T/E          | No          |
| 100 T/E         |             |
| 100 ANSI        |             |
| 150 T/E         |             |
| 200 T/E         |             |



This fitting converts a Roll Groove into a Flange without adding to the length.

Roll Grooved Cap Female BSP - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 40 x 25         |             |
| 50 x 32         |             |
| 50 x 40         |             |
| 65 x 32         |             |
| 65 x 25         |             |
| 65 x 40         |             |
| 65 x 50         |             |
| 73od x 50       |             |
| 80 x 25         |             |
| 80 x 32         |             |
| 80 x 40         |             |
| 80 x 50         |             |
| 80 x 65         | Yes         |
| 100 x 25        |             |
| 100 x 32        |             |
| 100 x 40        |             |
| 100 x 50        |             |
| 100 x 65        |             |
| 150 x 125       |             |
| 150 x 25        |             |
| 150 x 32        |             |
| 150 x 40        |             |
| 150 x 50        |             |
| 150 x 65        |             |
| 200 x 25        |             |
| 200 x 50        |             |



## Roll Grooved Hydrant Hose Reel Elbow - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 100 x 25 x 80   | Yes         |



## Roll Grooved Hydrant Hose Reel Tee - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 100 x 80 x 25   | Yes         |



Roll Groove Concentric Reducer - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 32 x 25         |             |
| 40 x 25         |             |
| 40 x 32         |             |
| 50 x 32         |             |
| 50 x 40         |             |
| 65 x 32         |             |
| 65 x 40         |             |
| 65 x 50         |             |
| 73od x 50       |             |
| 80 x 32         |             |
| 80 x 40         |             |
| 80 x 50         |             |
| 80 x 65         |             |
| 80 x 73od       |             |
| 100 x 50        |             |
| 100 x 65        | Yes         |
| 150 x 50        |             |
| 150 x 65        |             |
| 150 x 80        |             |
| 100 x 80        |             |
| 150 x 100       |             |
| 150 x 139od     |             |
| 200 x 80        |             |
| 200 x 100       |             |
| 200 x 150       |             |
| 250 x 100       |             |
| 250 x 150       |             |
| 250 x 200       |             |
| 300 x 150       |             |
| 300 x 200       |             |
| 300 x 250       |             |



## Roll Grooved Eccentric Reducer - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 100 x 65        | Yes         |
| 100 x 80        |             |
| 150 x 80        |             |
| 150 x 100       |             |
| 150 x 125       |             |
| 200 x 100       |             |
| 200 x 150       |             |



## Roll Grooved Tee Female BSP - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 50 x 25         | Yes         |
| 65 x 25         |             |
| 80 x 25         |             |
| 80 x 65         |             |
| 100 x 25        |             |







**Roll Grooved Tee Standard Radius - Galvanised**

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 25              | Yes         | 57                 |
| 32              |             | 70                 |
| 40              |             | 70                 |
| 50              |             | 83                 |
| 65              |             | 95                 |
| 73              |             | 95                 |
| 80              |             | 108                |
| 100             |             | 127                |
| 150             |             | 165                |
| 200             |             | 197                |
| 250             |             | 229                |
| 300             |             | 254                |

**Roll Grooved Tee Standard Radius - Painted**

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 50              | No          | 83                 |
| 65              |             | 95                 |
| 80              |             | 108                |
| 100             |             | 127                |
| 150             |             | 165                |
| 200             |             | 197                |

**Roll Grooved Tee Short Radius - Painted or Galvanised**

| Available Sizes | Other Sizes | Centre to End (mm) |
|-----------------|-------------|--------------------|
| 50              | No          | 70                 |
| 65              |             | 76                 |
| 80              |             | 86                 |
| 100             |             | 102                |
| 150             |             | 140                |
| 200             |             | 176                |

**Roll Grooved Tee Reducing - Galvanised**

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 50 x 40         | Yes         |
| 65 x 40         |             |
| 80 x 50         |             |
| 80 x 65         |             |
| 100 x 50        |             |
| 100 x 65        |             |
| 100 x 80        |             |
| 150 x 50        |             |
| 150 x 65        |             |
| 150 x 80        |             |
| 150 x 100       |             |
| 200 x 80        |             |
| 200 x 100       |             |
| 200 x 150       |             |



Roll Grooved Tee Bullhead - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 2 x 2 x 2.5"    | Yes         |
| 2 x 2 x 3"      |             |
| 2.5 x 2.5 x 3"  |             |
| 2.5 x 2.5 x 4"  |             |
| 3 x 3 x 4"      |             |
| 4 x 4 x 6"      |             |
| 6 x 6 x 8"      |             |



Roll Grooved Tee Bullhead With 25 Outlet - Galvanised

| Available Sizes | Other Sizes |
|-----------------|-------------|
| 3 x 3 x 4 x 1   | Yes         |



