

Print Date: 08-18-2016

SAFETY DATA SHEET

REVISION DATE: 08-18-2016 SUPERSEDES: None

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: KONSTRUKT ROOF & GUTTER TRANS

PRODUCT DESCRIPTION: Silicone

INTENDED USE: Industrial adhesive

PRODUCT IDENTIFIER: 841974PM

COMPANY INFORMATION

H.B. Fuller Company Australia Pty. Ltd.

16 - 22 Red Gum Drive Dandenong South, VIC 3175 Telephone: (03) 9797 6222

Emergency telephone No: 1800 033 111

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Symbols:



GHS Symbol name(s): Exclamation mark

GHS Signal Word: Warning

GHS Classification: Skin Sensitisation Category 1; Serious Eye Damage/Eye Irritation Category 2A

GHS Hazard Phrases: May cause an allergic skin reaction.

Causes serious eye irritation.

GHS Precautions:

Safety Precautions: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with local/regional/national/international

regulation for hazardous wastes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	PERCENT	Classification	Note
Mineral oil	64742-46-7	10 - 30	Acute Tox. 4; H332	Note N
Amorphous silica	7631-86-9	5 - 10		* (see below)



tc. 00-10-2010

SAFETY DATA SHEET

Silane	2224-33-1	1 - 5	Eye Dam. 1; H318
			Skin Irrit. 2; H315
			Skin Sens. 1; H317
Silanes	Proprietary	1 - 5	Eye Irrit. 2; H319
			Skin Irrit. 2; H315
			Skin Sens. 1; H317
Methyl ethyl ketoxime	96-29-7	0.1 - 1	Acute Tox. 4; H312
			Acute Tox. 4; H302
			Carc. 2; H351
			Eye Dam. 1; H318
			Skin Sens. 1; H317
Ingredients determined to be not hazardous		65	

^{*}This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

SECTION 4: FIRST AID MEASURES

IF IN EYES: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Material will burn in a fire.

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide Silicon dioxide

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No health affects expected from the clean-up of this material if contact

can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

SECTION 7: HANDLING AND STORAGE

Handling: Avoid unnecessary exposure.

This product contains an ingredient that may release formaldehyde at heated cure

temperatures.

This product contains an ingredient that may react with water or humidity to release methyl ethyl ketoxime (MEKO), CAS#96-29-7. The AIHA WEEL TWA

for MEKO is 10 ppm.

This product contains an ingredient that may react with water or humidity to

release ethanol (64-17-5). The TWA for ethanol is 1000 ppm.

Storage: Store in a cool, dry place.



Print Date: 08-18-2016

SAFETY DATA SHEET

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

Chemical Name	Note	AUSTRALIAN EXPOSURE LIMITS	ACGIH EXPOSURE LIMITS
Amorphous silica	* (see	2 mg/m3 TWA (respirable dust, listed	No data available.
	below)	under Fumed silica) None	

^{*}This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

Biological Limit Values (ACGIH)

)	
Chemical Name	ACGIH Biological Exposure Index (BEI)	
No data available.		

ENGINEERING CONTROL METHODS:

VENTILATION: General room ventilation might be required under normal conditions

EYE PROTECTION: Wear safety glasses when handling this product.

SKIN PROTECTION: Avoid skin contact by wearing chemically resistant gloves.

GLOVES:

RESPIRATORY PROTECTION: No respiratory protection required under normal conditions of use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Semi-solid COLOR: Colourless ODOR: Characteristic ODOR THRESHOLD: Not established Not established FREEZING/MELTING POINT (deg. C): Not established BOILING POINT (deg. C): Not established > 204°C (400°F) COC FLASH POINT:

Not established **EVAPORATION RATE:**

Not a flammable solid or gas FLAMMABILITY:

UPPER EXPLOSIVE LIMIT (% in air): Not established LOWER EXPLOSIVE LIMIT (% in air): Not established Not established VAPOR PRESSURE (mm Hg): VAPOR DENSITY: Not established

WEIGHT PER GALLON (lbs.): 0.01 0.970 SPECIFIC GRAVITY:

SOLUBILITY: Not established OCTANOL/WATER COEFFICIENT: Not established Not established AUTOIGNITION TEMPERATURE: **DECOMPOSITION TEMPERATURE:** Not established VISCOSITY: No data available.

SOLIDS (% by weight): 81.1

Not determined VOC, weight percent



Print Date: 08-18-2016

SAFETY DATA SHEET

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions.

CHEMICAL INCOMPATIBILITY: Not established HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Silicon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

Component Toxicity / Toxicology Duta.	
COMPONENT NAME	LD50/LC50
Mineral oil	Inhalation LC50 Rat 4.60 mg/l
Amorphous silica	INHALATION LC50-1H Rat > 2.20 mg/l

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: No irritation hazard in normal industrial use.

Serious eye damage / irritation: Can cause severe irritation. Eye contact may result in corneal injury. Symptoms may include discomfort or pain, excessive blinking and tear production, with marked redness and swelling of the conjunctiva. Temporary vision impairment (cloudy or blurred vision) is possible.

Respiratory / skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: No data available. Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available. Respiratory irritation / Narcotic effects: No data available. Specific target organ toxicity-single exposure: No data available.

Target organs potentially affected by exposure: Lungs

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Lung disease

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW: No ecological information available for this product.

MOBILITY: No data available.
PERSISTENCE: No data available.
BIOACCUMULATION: No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
Mineral oil	Acute Toxicity (Fish): 96 Hr LC50 Pimephales promelas: 35 mg/L [flow-through]
	Acute Toxicity (Daphnia): Not established
	Acute Toxicity (Algae): Not established

SECTION 13: DISPOSAL CONSIDERATIONS

This product is a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice



Print Date: 08-18-2016

SAFETY DATA SHEET

from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL: If possible recycle, otherwise dispose strictly in accordance with local industrial waste or environmental protection regulations. This substance may, if permitted by local authorities, be disposed of in an approved incineration facility or be considered for landfill.

SPECIAL PRECAUTIONS: Do not allow this material to contaminate soil, sewerage systems or surface or ground water.

When large amounts of this product need to be disposed of the services of a registered, professional waste disposal organisation is highly recommended.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

ADG: NOT REGULATED IATA: NOT REGULATED HazChem Code: Not applicable

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS

AUSTRALIA AICS: All ingredients in this mixture are listed in the Australian Inventory of

Chemical Substances.

U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's

Inventory requirements.

CANADIAN CEPA DSL: This product contains one or more components which have not been

determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification

information.

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

met.

KOREAN TCCL: This product is in compliance with the Korean Existing Chemicals List

requirements.

PHILIPPINES: This product is in compliance with the Philippine Inventory of

Chemicals and Chemical Substances requirements.

CHINA IECSC INVENTORY: This product is in compliance with the Inventory of Existing Chemical

Substances in China (IECSC) requirements.

If you need more information about the inventory status of this product call 1+ 651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

Exempt

SECTION 16: OTHER INFORMATION

SDS Date of Issue: 18-08-2016



Print Date: 08-18-2016

SAFETY DATA SHEET

Replaces: None

Changes made to previous issue: Conversion to GHS format

ACRONYMS and DEFINITIONS:

ACGIH American Conference of Governmental Industrial Hygienists

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS Australian Inventory of Chemical Substances

BEI Biological Exposure Index

CAS Number Chemical Abstracts Service Registry Number

CNS Central nervous system DG Dangerous Goods

Hazchem Code An emergency action code of numbers and letters, which gives information to emergency services.

IARC International Agency for Research on Cancer
IATA Code International Air Transport Association Code
IMDG Code International Maritime Dangerous Goods Code

N.O.S. Not otherwise specified

NOHSC National Health and Safety Commission

PPE Personal protection equipment

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

UN Number United Nations Number

Prepared by: The Global Regulatory DepartmentPhone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.